



# NOBILITY

Residential Aluminum Fencing

*Designed to Last —  
Beginning with Better Materials*





Nobility Fence is committed to providing homeowners with low maintenance fencing solutions that incorporate proven high quality materials that are produced with the latest manufacturing technologies.

We distribute our products through professional, qualified dealers that will work with you to design and complete your fencing project.

### THE NOBILITY DIFFERENCE

- Most durable and lowest maintenance on the market
- Longest lasting color protection
- Internal picket fasteners prevent "screw pops and fading"
- Best warranty in the industry

Contact us for a free home consultation and quote!

**NobilityFence.com**



## NOBILITY PREMIUM

For a bolder, more stately look, choose the 3/4" Picket Nobility Premium.


- 1" x 1" Rails
- 3/4" x 3/4" Square Pickets
- 2" x 2" or 2 1/2" x 2 1/2" Square Posts
- 6' Wide Panels — Rackability up to 36"
- Available in Black, Bronze, White and Matte Black\*
- Hidden Panel Fastener System




## NOBILITY STANDARD

For the ideal blend of economy and elegance, choose the 5/8" Picket Nobility Standard.

- 1" x 1" Rails
- 5/8" x 5/8" Square Pickets
- 2" x 2" Posts
- 6' Wide Panels — Rackability up to 36"
- Available in Black, Bronze, White and Matte Black\*
- Hidden Panel Fastener System




BLACK



BRONZE



WHITE



MATTE BLACK\*

\* Matte Black available in select styles




# MILLER

Nobility's Miller closed top panels are available in both ¾" and 5/8" picket grades. Panels are available in 4' and 54" heights at 6' wide.

The contemporary look and feel of a Miller closed top panel will enhance any home or business.




Miller  
4' H x 6' W



Miller Pool  
54" H x 6' W




Contact us for a free home  
consultation and quote!  
**NobilityFence.com**



# SAWYER

The Sawyer — a sleek and modern 2 rail closed top panel — is available only in Nobility Premium.

In addition, this closed top panel offers peace-of-mind security meeting pool code regulations for water areas.



Sawyer  
4' H x 6' W



## POST TOPS & ACCENTS

Additional post top options, as well as mount and bracket options are available to customize the look, accessibility or installation of your Nobility aluminum fence.

All posts come standard with Pyramid Post Tops. Ball Tops and Solar Tops are also available special order.


To add an additional decorative accent to your fence, Butterfly Scrolls and Circles are also available special order.




# NELSON

The Nelson closed spear top is an updated version of the classic spear style. Panels are available in 4' and 54" heights, 6' wide and feature 3 rails.

Clean, sleek lines surround the traditional spear picket for a look that is stately yet sophisticated.



**Nelson**  
4' H x 6' W



**Nelson Pool**  
54" H x 6' W




# PICKET TOP

When you are searching for a great value in an elegant fence that also provides safety, security and containment, Nobility offers its line of Picket Top aluminum fencing.

The lasting beauty and ease of installation — combined with the ability to customize the panel to your style by adding decorative finials — make this fence a great option for any budget.



**Picket Top 3 Rail**  
4' H x 6' W



**Picket Top 4 Rail**  
6' H x 6' W

*Contact us for a free home consultation and quote!*  
**NobilityFence.com**



# FINIALS

Finials add a decorative finish to your Nobility aluminum fence — giving your project that wow factor!

*Finial tops for Picket Top panels and gates sold separately.*



**Tri Finial Top**



**Quad Finial Top**




**Fleur De Lis Finial Top**




# SPEAR TOP

The Spear Top offers the look of traditional wrought iron with the benefit of low maintenance. Our through-the-rail picket design creates a "good neighbor" fence that's equally attractive on both sides.



**Spear Top 3 Rail**  
5' H x 6' W



**Spear Top 4 Rail**  
6' H x 6' W




# PUPPY PICKET

Keep small pets safe with our puppy picket aluminum fence style. Available in multiple standard heights and colors, the top section features standard picket spacing of 3 7/8" while the bottom is a tighter fit with double the number of pickets and spacing of 1 1/2".

*Contact us for a free home consultation and quote!*

**NobilityFence.com**




**Puppy Picket**  
6' H x 6' W






## Double Picket


Nobility's double picket panel styles are a great option to increase safety and security for small children and pets. All three styles feature double the number of pickets and a tighter 1½" picket spacing.




**Miller Double Picket**  
4' H x 6' W



**Miller Pool Double Picket**  
6' H x 6' W



**Nelson Double Picket**  
4' H x 6' W



**Spear Top Double Picket**  
5' H x 6' W



## NOBILITY GATES

Complete your aluminum fence project with a walk or drive gate in styles and finishes to match your fence. All Nobility aluminum gates are fully welded giving a clean, smooth appearance and include self-closing hinges. Double drive gates can be created with two straight walk gates or are available in arched and estate styles to match your fence. Nobility gates are available to match any size or finish.



## GATE STYLES



**Arched Walk Gate**



**Straight Walk Gate**



**Arched Double Drive Gate**



**Straight Double Drive Gate**



**Estate Double Drive Gate**





**BOERBOEL®**

## PREMIUM HARDWARE

### ENDURING CONSTRUCTION

No fence is complete without the proper hardware to make sure gates stay closed and your property remains secured. Nobility Fencing proudly

offers Boerboel® premium hardware. We offer a locking pool latch for added security around pools (available in both standard and compact sizes).

Our 1- or 2-sided key access locking latch features easy push button access and our heavy duty gate latch can be locked on both sides with a padlock.\*

*\* Latches need to be purchased separately.*



**Locking Pool Latch**



**Locking Latch with Key Access**

## POOL CODE SPECIFICATIONS


Select styles and heights of Nobility Residential Aluminum Fencing feature a flush bottom rail or “drop rail.” This allows a panel to meet code regulations by increasing the distance between rails while maintaining a desired height. Pool codes not only vary by state, but also by locality. Be sure to check the codes in your area before ordering.

### PANEL SPECIFICATIONS

- Fence panel must be at least 48" tall
- Distance from the top of the bottom rail to the top of the next highest rail must be at least 45"
- Spacing between pickets must be less than 4"
- Space from the bottom of the bottom rail or picket should be 2" off the ground

### GATE SPECIFICATIONS

- Must have self-closing hinges and self-closing latches
- Need to open out (away from pool area)
- Opening mechanism of the latch must be at least 54" above the ground
- Must not use a cross brace on gates



**Contact us for a free home consultation and quote!**

**NobilityFence.com**



## TRANSFERABLE LIMITED LIFETIME WARRANTY — RESIDENTIAL ALUMINUM FENCING

### WHO IS COVERED:

- The limited lifetime warranty covers single-family residential properties only. This limited warranty extends to the original purchaser and one (1) individual transferee as specified herein.
- A thirty (30) year limited warranty covers any other type of building or property including those owned by corporations, governmental agencies, partnerships, trusts, religious organizations, schools, condominiums, homeowner associations, cooperative housing arrangements and apartment buildings. The warranty period will be thirty (30) years following the original date of Product purchase.

**WHAT IS COVERED:** Nobility Fence warrants that its aluminum fencing products (“Product”) will be free from defects in material and workmanship for the warranty period. This limited warranty is valid beginning on the date of Product purchase.

Nobility Fence warrants the Product against peeling, flaking, rotting, chipping, cracking, blistering, splintering, corrosion and rusting; or abnormal discoloration/fading\* under normal atmosphere and weather conditions.

*\*After prolonged exposure to outdoor environments, all products will experience some gradual fading over time and is considered normal (up to a standard variation determined by Delta E color measurement, not to exceed Delta 5). Degrees of fading vary depending on geographical location, air pollution, exposure and other factors.*

**WHAT THIS WARRANTY DOES NOT COVER:** This limited warranty does not cover damage resulting from: misuse, abuse, improper storage or handling, improper installation, other aluminum products and accessories that are not manufactured by Nobility Fence, or manufactured for specific use in aluminum fence applications; impact of foreign objects, fire, earthquake, flood, lighting, hail, hurricane, tornado or other casualty or act of God; movements, distortion, collapse or settling of ground or structure on which the fence is installed. This limited warranty does not cover costs of removal or disposal of product, or reinstallation of replacement product.

**WHAT NOBILITY FENCE DOES TO REMEDY THE PROBLEM:** Should your Nobility Fence product prove defective under warranty, visit the website or call the phone number listed below. Nobility Fence requires written notice or phone call within thirty (30) days of discovering the defect and you must show original proof of purchase receipt. You will be required to provide to Nobility Fence pictures and/or samples of the defective Product. If it is determined by Nobility Fence, in its sole discretion, the Product has a manufacturer defect, Nobility Fence will replace or repair with new or equivalent products; labor is not included in warranty. If the Product is discontinued, Nobility Fence will repair or replace the Product with a product in comparable quality or price range.

Nobility Fence reserves the right to discontinue or modify any of its products, including the color of its products without notice to the purchaser. Nobility Fence does not warrant that any replacement material will match or be identical to the

original Product as replacement products may vary in color or gloss in comparison to the original Product as a result of normal weathering.

**TRANSFeree COVERAGE:** Limited lifetime warranty coverage will be extended to one (1) transferee with the following limitations: the one (1) transfer shall only be from residential homeowner (original Product purchaser) to a second homeowner. After a transfer, the warranty is valid thirty (30) years from the date of the original purchase.

The thirty (30) year limited warranty for commercial installations cannot be transferred.

**REGISTRATION:** To activate this warranty, fill out the product registration form on the website listed below, or mail the completed registration card to Nobility Fence. Registration of Product must be within thirty (30) days from date of Product purchase for warranty to be valid.

Except as expressly set forth in this warranty, Nobility Fence HEREBY EXPRESSLY DISCLAIMS ANY REPRESENTATION, WARRANTY, PROMISE, GUARANTEE OR OTHER ASSURANCE OF ANY KIND, EXPRESS OR IMPLIED, ORAL OR WRITTEN, STATUTORY OR OTHERWISE, RELATING TO THE PRODUCT. STATE LAW WILL DETERMINE THE PERIOD OF TIME FOLLOWING THE SALE THAT YOU MAY SEEK A REMEDY UNDER THE IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

NO DISTRIBUTOR, DEALER OR OTHER PERSON IS AUTHORIZED BY NOBILITY FENCE TO CHANGE THIS WARRANTY OR TO MAKE ANY ADDITIONAL REPRESENTATION, WARRANTY, PROMISE, GUARANTEE OR OTHER ASSURANCE ON BEHALF OF NOBILITY FENCE RELATING TO THE PRODUCT. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY STATE TO STATE.

**LIMITATION OF LIABILITY:** THE REMEDIES DESCRIBED ABOVE ARE YOUR SOLE AND EXCLUSIVE REMEDIES AND NOBILITY FENCE’S ENTIRE LIABILITY FOR ANY BREACH OF THIS LIMITED WARRANTY. NOBILITY FENCE’S LIABILITY SHALL UNDER NO CIRCUMSTANCES EXCEED THE ACTUAL AMOUNT PAID BY YOU FOR THE DEFECTIVE PRODUCT, NOR SHALL NOBILITY FENCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

THIS WARRANTY IS VALID ONLY IN THE UNITED STATES AND CANADA.

This warranty is effective for products purchased after January 1, 2020.

This warranty can also be found online at **NobilityFence.com** or by calling **724-981-6054**.

## LIMITED LIFETIME WARRANTY — BOERBOEL® GATE SOLUTIONS/HARDWARE

**WHO IS COVERED:** The limited lifetime warranty covers residential and commercial properties. This limited warranty extends to the original purchaser and one (1) transferee as specified herein.

**WHAT IS COVERED:** Nobility Fence warrants that its hardware products (“Product”) will be free from defects in design, material and workmanship for the warranty period. This limited warranty is valid beginning on the date of Product purchase.

**WHAT THIS WARRANTY DOES NOT COVER:** This limited warranty will not cover normal wear and tear; failure to follow any procedures specified or recommended by Nobility Fence for the installation, operation and maintenance of the Product; any act or circumstance beyond Nobility Fence’s control including tampering, unauthorized repairs, misuse, abnormal use, abuse, accident, damage after delivery to the consumer, damage caused by events beyond human control including but not limited to damage caused by animals or natural events, surface tarnishing and/or damage to components caused by corrosion or other environmental conditions; any defect of or in any framework or material supporting the Product; faulty workmanship of any person other than Nobility Fence, including the installer of the Product. This limited warranty does not cover costs of removal or disposal of product, or reinstallation of replacement product. Any service provided outside the scope of this limited warranty shall be at Nobility Fence’s standard rate and terms then in effect.

**WHAT NOBILITY FENCE DOES TO REMEDY THE PROBLEM:** Should your Nobility Fence Product prove defective under warranty, visit the website or call the phone number listed below. Nobility Fence requires written notice or phone call within thirty (30) days of discovering the defect and you must show original proof of purchase receipt. You will be required to provide to Nobility Fence pictures and/or samples of the defective Product. If it is determined by Nobility Fence, in its sole discretion, the Product has a manufacturer defect in material or workmanship, Nobility Fence will replace or repair with new or equivalent products; labor is not included in warranty. If the Product is discontinued, Nobility Fence will repair or replace the Product with a product in comparable quality or price range.

Nobility Fence reserves the right to discontinue or modify any of its products, including the color of its products without notice to the purchaser. Nobility Fence does not warrant that any replacement material will match or be identical to the original Product as replacement products may vary in color or gloss in comparison to the original Product as a result of normal weathering.

Except as expressly set forth in this warranty, Nobility Fence HEREBY EXPRESSLY DISCLAIMS ANY REPRESENTATION, WARRANTY, PROMISE, GUARANTEE OR OTHER ASSURANCE OF ANY KIND, EXPRESS OR IMPLIED, ORAL OR WRITTEN, STATUTORY OR OTHERWISE, RELATING TO THE PRODUCT. STATE LAW WILL DETERMINE THE PERIOD OF TIME FOLLOWING THE SALE THAT YOU MAY SEEK A REMEDY UNDER THE IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

NO DISTRIBUTOR, DEALER OR OTHER PERSON IS AUTHORIZED BY NOBILITY FENCE TO CHANGE THIS WARRANTY OR TO MAKE ANY ADDITIONAL REPRESENTATION, WARRANTY, PROMISE, GUARANTEE OR OTHER ASSURANCE ON BEHALF OF NOBILITY FENCE RELATING TO THE PRODUCT. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY STATE TO STATE.

**LIMITATION OF LIABILITY:** THE REMEDIES DESCRIBED ABOVE ARE YOUR SOLE AND EXCLUSIVE REMEDIES AND NOBILITY FENCE’S ENTIRE LIABILITY FOR ANY BREACH OF THIS LIMITED WARRANTY. NOBILITY FENCE’S LIABILITY SHALL UNDER NO CIRCUMSTANCES EXCEED THE ACTUAL AMOUNT PAID BY YOU FOR THE DEFECTIVE PRODUCT, NOR SHALL NOBILITY FENCE BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

THIS WARRANTY IS VALID ONLY IN THE UNITED STATES AND CANADA.

This warranty can also be found online at **NobilityFence.com** or by calling **724-981-6054**.

## CARE AND MAINTENANCE

### ALUMINUM FENCE CLEANING

- Most basic stains can be cleaned using a simple degreaser, such as Simple Green®, and should be rinsed after applying.
- For hard water stains, CLR® can be used and should be rinsed after applying.

### PAINTING TOUCH-UP

- Touch-up paint that matches original paint finish is available for minor scratches and dings.
- Contact Nobility Fence Customer Service to order touch-up paint. Paint cannot be shipped via air — allow 5-7 days for ground shipment.

### PICKET REPLACEMENT

- Due to the way our aluminum fence panels are constructed, individual pickets cannot be easily removed. As such, Nobility Fence recommends replacement of the entire panel.

### HOW DO I CLEAN MY ALUMINUM FENCE?

- On occasion you may want to spray your fence with a garden hose. This will remove grass clippings, dirt and fertilizer chemicals and keep it looking as new as possible.
- For light cleaning, rinse with water from bottom to top and back to bottom. This will clean the surface on the way up and prevent the collection of dirty “run down” and possible streaking. Air dry or wipe with a soft, lint free cloth.
- For more soiled areas, rinse the surface with clean water from the top to bottom. Use a sponge and clean with mild dish soap and water. Immediately rinse any “run down” to lower parts of the fence. Do not allow dish soap to collect or “puddle” on surfaces. Immediately rinse entire section with clean water. It is very important the dish soap does not dry on the surface. Air or wipe dry with a soft, lint free cloth. For stubborn, water-soluble debris, repeat steps above until clean.
- In coastal areas, it is recommended that you frequently spray your fence with water to reduce accumulations of salt and dirt.

### MAINTENANCE TIPS

To maximize the life of your fence address these areas:

- Adjust the gate — As a reminder, gate adjustments and leveling are normal care and maintenance items that the homeowner is responsible for.
- Oil the gate hinges and tighten the screws once a year.
- Do not let the gate swing in the wind. Keep it secured.
- Deter children from swinging on the gate.
- Re-compress and realign loose posts.
- Do not stack or mount any objects or material near your fence.





INSTALLED BY:



***Advanced Manufacturing,  
Trusted by Professionals***



**NOBILITY**

Residential Aluminum Fencing

**[NobilityFence.com](http://NobilityFence.com)**